

NISSAN

As of October 28, 2021

HKS Engine Oil Series (Available Only for Authorized Dealers)

HKS Engine Oil Series

Vehicle Vehicle Name	displacement cc	Vehicle Model Model	Engine Engine	Year Year	Genuine Viscosity Normal Viscosity	HKS RECOMMENDED ENGINE OIL			OIL AMOUNT AT THE TIME OF CHANGE (L)		Remarks
						standard		high-grade	Oil Oil	Oil + Filter Oil + Filter	
						Standard	API STANDARD PRODUCTS	High-grade			
180SX	1800	RS13,KRS13	CA18DET(TURBO)	89/4~91/1	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.2	3.6	
	2000	RPS13,KRPS13	SR20DE	96/8~ 98/12	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.3	3.5	
	2000	RPS13,KRPS13	SR20DET(TURBO)	91/1~ 98/12	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.5	3.7	
AD: ADエキス パート AD: AD EXPERT	1500	VY12	HR15DE	06/12~ 16/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	1600	VZNY12	HR16DE	08/12~ 16/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.8	3.0	
	1800	VJY12	MR18DE	06/12~ 16/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.7	3.9	
GT-R	3800	R35	VR38DETT	16/8~	0W-40	7.5W-45 AK102(4L)	10W-40 SP AK142(4L)	R-Pro 0W- 40 AK070(4L)	4.5	5.0	
	3800	R35	VR38DETT	10/10~ 16/7	0W-40	7.5W-45 AK102(4L)	10W-40 SP AK142(4L)	R-Pro 0W- 40 AK070(4L)	4.5	5.0	
	3800	R35	VR38DETT	07/12~ 10/10	0W-40	7.5W-45 AK102(4L)	10W-40 SP AK142(4L)	R-Pro 0W- 40 AK070(4L)	5.0	5.5	
NT100 クリッパ ー NT100 CLIPPER	660	DR16T	R06A(NA)	13/12~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.8	3.0	
NV100 クリッパ ー	660	DR17V	R06A(TURBO)	15/3~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40	2.7	2.8	

NV100 CLIPPER								AK125(4L)			
	660	DR17V	R06A(NA)	15/3~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.7	2.8	
	660	DR64V	K6A(DOHC,TURBO)	13/12~ 15/2	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	2.8	3.0	
	660	DR64V	K6A(DOHC)	13/12~ 15/2	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.8	3.0	
	660	U71V	3G83(NA)	12/1~ 13/12	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
	660	U71V	3G83(TURBO)	12/1~ 13/12	10W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.0	3.2	
	660	U71TP	3G83(NA)	12/1~ 13/12	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
	660	U71TP	3G83(TURBO)	12/1~ 13/12	10W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.0	3.2	
	660	U72V	3G83(NA)	12/1~ 13/12	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
660	U72V	3G83(TURBO)	12/1~ 13/12	10W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.0	3.2		
NV100 クリップ ーリオ NV100 CLIPPER RIO	660	DR17W	R06A(TURBO)	15/3~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.7	2.8	
	660	DR64W	K6A(DOHC,TURBO)	13/12~ 15/2	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	2.8	3.0	
NV150 AD	1500	VY12	HR15DE	16/12~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	1600	VZNY12	HR16DE	16/12~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.8	3.0	
NV200 バネット	1600	VM20,VNM20	HR16DE	21/8~	0W-20	0W-25	0W-20	P-Pro 0W-	2.8	3.0	

バン NV200 VANETTE VAN						AK108(4L)	SP AK148(4L)	20 AK037(20L)			
	1600	VM20	HR16DE	09/5~21/7	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.8	3.0	
NV200 バネット ワゴン NV200 VANETTE WAGON	1600	M20	HR16DE	21/8~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	1600	M20	HR16DE	09/5~21/7	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.8	3.0	
NV350 キャラ バン NV350 CARAVAN	2000	VR2E26	QR20DE	12/6~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.9	5.2	
	2500	CS4E26. DS4E26. KS2E26. KS4E26	QR25DE	12/6~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.9	5.2	
	2500	CW4E26,8E26,DW4E26,VW2e26,6E26	YD25DDTi	12/6~	5W-30		5W-30 EURO SN AK152(4L)		7.5	7.8	
X-TRAIL	2000	HT32. HNT32	MR20DD(HYBRID)	15/5~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	T32,NT32	MR20DD	13/12~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	DNT31	M9R	08/9~	5W-30		5W-30 EURO SN AK152(4L)		7.0	7.4	
	2000	T31,NT31	MR20DE	07/8~ 13/12	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	PNT30	SR20VET(TURBO)	00/11~ 07/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	2.7	2.9	
	2000	NT30,T30	QR20DE	00/11~ 07/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.5	3.7	
	2500	TNT31	QR25DE	07/8~ 13/12	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.5	4.8	
Vehicle	displacement	Vehicle Model	Engine	Year	Genuine Viscosity	HKS RECOMMENDED ENGINE OIL		OIL AMOUNT AT THE TIME OF CHANGE (L)		Remarks	

Vehicle Name	cc	Model	Engine	Year	Normal Viscosity	standard		high-grade	Oil Oil	Oil + Filter Oil + Filter
						Standard	API STANDARD PRODUCTS	High-grade		
Wing Road WINGROAD	1500	Y12,NY12	HR15DE	10/12~ 18/3	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0
	1500	Y12,NY12	HR15DE	05/11~ 10/12	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.1	3.3
	1500	WFY11	QG15DE	05/1~05/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.5	2.7
	1800	JY12	MR18DE	05/11~ 18/3	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.7	3.9
	1800	WHNY11	QG18DE	05/1~ 05/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.5	2.7
	2000	WRY11	QR20DE	01/10~ 05/10	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.5	3.7
エルブランド ELGLAND	2500	TE52,TNE52	QR25DE	10/8~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.3	4.6
	2500	ME51,MNE51	VQ25DE	04/12~ 10/7	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.5	4.7
	3500	PE52,PNE52	VQ35DE	10/8~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.3	4.6
	3500	E51	VQ35DE	02/5~10/7	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.5	4.7
	3500	APE50,APWE50	VQ35DE	00/8~02/4	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7
オーラ AURA	1200	FE13	HR12DE	21/8~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.2	3.4
	1200	FSNE13	HR12DE	21/8~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.2	3.4

オッティ OTTI	660	DBA-H92W	3G83	06/10~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
	660	CBA-H92W	3G83(TURBO)	06/10~	10W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.0	3.2	
	660	DBA-H91W	3G83	05/6~06/9	5W-20	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	3.0	3.2	
	660	CBA-H91W	3G83(TURBO)	05/6~06/9	10W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.0	3.2	
キックス KICKS	660	H59A	4A30	08/10~ 12/6	10W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.3	3.5	
	1200	P15	HR12DE-EM57	20/6~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.2	3.4	
Vehicle Vehicle Name	displacement cc	Vehicle Model Model	Engine Engine	Year Year	Genuine Viscosity Normal Viscosity	HKS推奨エンジンオイル			交換時オイル量(L)		Remarks
						スタンダード		ハイグレード	Oil Oil	Oil + Filter Oil + Filter	
						Standard	API STANDARD PRODUCTS	High-grade			
Caravan CARAVAN	2000	VRE25	QR20DE	07/8~12/6	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.9	5.2	
	2000	VPE25	KA20DE	01/4~07/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	3.3	3.6	
	2400	QGE25,CQGE25,DQGE25,QE25	KA24DE	01/4~07/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	3.3	3.6	
	3000	CWGE25,CWMGE25 VWE25,VWME25	ZD30DDTi	07/8~12/6	5W-30		5W-30 EURO SN AK152(4L)		8.0	8.5	
	3000	CWGE25,CWMGE25 VWE25,VWME25	ZD30DDTi	05/1~07/8	10W-30	7.5W33 D AK115(4L)			6.4	6.9	
Cube CUBE	1400	BZ11,BNZ11	CR14DE	02/10~ 08/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.2	3.4	
	1500	Z12,NZ12	HR15DE	08/11~	0W-20	0W-25	0W-20	P-Pro 0W-	2.8	3.0	

				98/12		AK105(4L)	SP AK142(4L)	10W-50 AK068(4L)			
	2000	S14.CS14	SR20DET(TURBO)	93/10~ 98/12	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.5	3.7	
	2000	PS13	SR20DE	91/1~93/9	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.5	3.7	
	2000	KPS13.PS13	SR20DET(TURBO)	91/1~93/9	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	R-Pro 10W-50 AK068(4L)	3.5	3.7	
Sylphy SYLPHY	1800	TB17	MRA8DE	12/12~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.7	3.9	
Skyline SKYLINE	2000	YV37	274A	14/11~ 19/6	0W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	5.8	6.3	
	2000	ZV37	274930	14/5~ 14/11	0W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	5.8	6.3	
	2500	V36.NV36	VQ25HR	06/11~ 13/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	
	2500	V35.NV35	VQ25DD(NEO-Di)	01/6~ 06/10	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	
	2500	ER34	RB25DE	98/5~01/4	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 15W-50 AK127(4L)	3.8	4.2	
	2500	ENR34	RB25DE	98/5~01/4	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 15W-50 AK127(4L)	4.2	4.6	
	2500	ER34	RB25DET(TURBO)	98/5~01/4	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 15W-50 AK127(4L)	3.9	4.3	
	3000	RV37	VR30DDTT	19/7~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	TURBO-R 5W-40 AK125(4L)	5.1	5.3	400R INCLUDED
	3000	HV35	VQ30DD(NEO-Di)	01/6~ 04/10	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	

	3500	HV37,HNV37	VQ35HR	13/11~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6	4.9	
	3500	PV36	VQ35HR	06/11~ 13/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6	4.9	
	3500	CPV35(CUT)	VQ35DE	03/1~ 06/10	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	
	3500	PV35	VQ35DE	02/1~ 06/10	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	
	3700	KV36	VQ37VHR	08/12~ 13/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6	4.9	
	3700	CKV36(CUT)	VQ37VHR	07/10~ 13/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6	4.9	
スカイライン GT-R SKYLINE GT-R	2600	BNR34	RB26DETT(TURBO)	99/1~02/8	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	TURBO-R 15W-50 AK127(4L)	4.2	4.6	
	2600	BCNR33	RB26DETT(TURBO)	95/1~99/1	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	TURBO-R 15W-50 AK127(4L)	4.2	4.6	
	2600	BNR32	RB26DETT(TURBO)	89/8~95/1	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	TURBO-R 15W-50 AK127(4L)	4.2	4.6	
ステージア STAGEA	2000	WHC34	RB20DE(LEANBURN)	97/8~01/9	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 15W-50 AK127(4L)	3.8	4.2	
	2000	WHC34	RB20E	96/9~97/8	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	TURBO-R 15W-50 AK127(4L)	3.8	4.2	
	2500	NM35,M35	VQ25DD(NEO-Di)	01/10~ 07/6	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	
	2500	NM35,M35	VQ25DET(TURBO)	01/10~ 04/7	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	4.4	4.7	
	2500	WGC34,WGNC34	RB25DET(TURBO)	98/8~01/9	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 15W-50 AK127(4L)	4.3	4.7	

	2500	WGC34	RB25DE	96/9~01/9	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	TURBO-R 15W-50 AK127(4L)	4.2	4.6	
	2500	WGNC34	RB25DE	96/9~01/9	7.5W-30	7.5W-35 AK105(4L)	10W-40 SP AK142(4L)	TURBO-R 15W-50 AK127(4L)	4.2	4.6	
	2500	WGNC34	RB25DET(TURBO)	96/9~98/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 15W-50 AK127(4L)	4.3	4.7	
	2600	WGNC34(260RS)	RB26DETT(TURBO)	97/11~ 01/9	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 15W-50 AK127(4L)	4.4	4.7	
	3000	HM35,M35	VQ30DD(NEO-Di)	01/10~ 04/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	
	3500	PM35,PNM35	VQ35DE	04/8~07/6	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7	
Serena SERENA	1200	HC27,HFC27	HR12DE-EM57	18/3~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.2	3.4	e-POWER
	2000	C27	MR20DD	16/8~	0W-16	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	GC27,GNC27,GFC27,GFNC27	MR20DD S-HYBRID	16/8~	0W-16	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	HC26,HFC26	MR20DD S-HYBRID	12/8~16/7	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	C26,NC26,FC26,FNC26	MR20DD	10/11~ 16/7	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	C25,NC25	MR20DE	05/5~ 10/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
	2000	TG24,TNC24	QR20DE(NEO)	01/12~ 05/4	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.5	3.7	
	2000	PC24,PNC24	SR20DE	99/6~ 01/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20	3.5	3.7	

Vehicle Vehicle Name	displacement cc	Vehicle Model Model	Engine Engine	Year Year	Genuine Viscosity Normal Viscosity	HKS RECOMMENDED ENGINE OIL			OIL AMOUNT AT THE TIME OF CHANGE (L)		Remarks
						standard		high-grade	Oil Oil	Oil + Filter Oil + Filter	
						Standard	API STANDARD PRODUCTS	High-grade			
	2500	RC24	QR25DE(NEO)	01/12~ 05/4	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.5	3.7	
Days DAYZ	660	B45W,B48W	BR06DET-SM21	19/3~	0W-16	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	660	B44W,B47W	BR06DE-SM21	19/3~	0W-8	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	660	B43W,B46W	BR06DE	19/3~	0W-8	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	660	B21W	3B20	13/6~19/2	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
	660	B21W	3B20(TURBO)	13/6~19/2	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
DaysLooks DAYZ ROOX	660	B21A	3B20	14/2~20/2	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
	660	B21A	3B20(TURBO)	14/2~20/2	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.0	3.2	
Tiana TEANA	2500	L33	QR25DE	14/1~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.3	4.6	
	2500	J32	VQ25DE	08/6~14/1	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.3	4.6	
	2500	TNJ32	QR25DE	08/6~14/1	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.3	4.6	
	2300	J31	VQ23DE	03/2~08/5	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30	4.2	4.5	

									AK071(20L)			
	2500	TNJ31	QR25DE	03/2~08/5	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.7	3.9		
	3500	PJ32	VQ35DE	08/6~14/1	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.3	4.6		
	3500	PJ31	VQ35DE	03/2~08/5	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.2	4.5		
Tiida TIIDA	1500	C11,NC11	HR15DE	08/1~12/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	2.8	3.0		
	1500	C11,NC11	HR15DE	04/9~08/1	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.1	3.3		
	1800	JC11	MR18DE	05/1~10/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.7	3.9		
Tiida LATIO	1500	SC11,SNC11	HR15DE	08/1~12/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	2.8	3.0		
	1500	SC11,SNC11	HR15DE	04/9~08/1	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.1	3.3		
	1800	JSC11	MR18DE	05/1~12/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.7	3.9		
Dualis DUALIS	2000	J10,NJ10,KJ10,KNJ10	MR20DE	07/5~ 13/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	4.0	4.2		
Vehicle Vehicle Name	displacement cc	Vehicle Model Model	Engine Engine	Year Year	Genuine Viscosity Normal Viscosity	HKS RECOMMENDED ENGINE OIL			OIL AMOUNT AT THE TIME OF CHANGE (L)		Remarks	
						standard		high-grade	Oil Oil	Oil + Filter Oil + Filter		
						Standard	API STANDARD PRODUCTS	High-grade				
Note NOTE	1200	E13,SNE13	HR12DE-EM47	20/12~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.2	3.4	e-POWER	
	1200	HE12 e-power	HR12DE-EM57	16/11~ 20/11	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20	3.2	3.4	e-POWER	

									AK037(20L)			
	1200	E12	HR12DDR	12/9~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.3	3.5		
	1200	E12,NE12	HR12DE	12/9~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	2.8	3.0		
	1500	E11,NE11	HR15DE	10/2~12/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	2.8	3.0		
	1500	E11,NE11	HR15DE	05/1~10/2	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.1	3.3		
	1600	E12 NISMO-S	HR16DE	14/10~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.1	4.3	WE'RE NOT-S	
	1600	ZE11	HR16DE	08/10~ 12/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	3.1	3.3		
Vehicle Vehicle Name	displacement cc	Vehicle Model Model	Engine Engine	Year Year	Genuine Viscosity Normal Viscosity	HKS RECOMMENDED ENGINE OIL			OIL AMOUNT AT THE TIME OF CHANGE (L)		Remarks	
						standard		high-grade	Oil Oil	Oil + Filter Oil + Filter		
						Standard	API STANDARD PRODUCTS	High-grade				
Fugue FUGA	2500	Y51	VQ25HR	09/11~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7		
	2500	Y50	VQ25HR	07/12~ 09/10	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6	4.9		
	2500	Y50	VQ25DE	04/10~ 07/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7		
	3500	PY50,PNY50	VQ35HR	07/12~ 09/10	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6	4.9		
	3500	PY50,PNY50	VQ35DE	04/10~ 07/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4	4.7		
	3700	KY51.KNY51	VQ37VHR	09/11~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30	4.6	4.9		

									AK071(20L)			
	4500	GY50	VK45DE	05/8~ 09/10	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.9		5.5	
フーガ ハイブリッド FUGA HYBRID	3500	HY51	VQ35HR	10/10~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6		4.9	
フェアレディZ FAIRLADY Z	3500	Z33	VQ35HR	07/1~ 08/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6		4.9	
	3500	HZ33(ROADSTER)	VQ35HR	07/1~ 08/11	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6		4.9	
	3500	HZ33(ROADSTER)	VQ35DE	03/10~ 06/12	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4		4.7	
	3500	Z33	VQ35DE	02/1~ 06/12	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.4		4.7	
	3700	Z34	VQ37VHR	08/12~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6		4.9	
	3700	HZ34	VQ37VHR	09/10~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.6		4.9	
プレサージュ PRESAGE	2500	TU31,TNU31	QR25DE	03/7~09/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.7		3.9	
	3500	PU31,PNU31	VQ35DE	03/7~09/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.2		4.5	
車両 Vehicle Name	排気量 cc	車両型式 Vehicle Model	エンジン Engine	年式 Year	純正粘度 Normal Viscosity	HKS推奨エンジンオイル			交換時オイル量(L)		備考 Remarks	
						スタンダード		ハイグレード	オイル Oil	オイル+フィルター Oil+Filter		
						Standard	API規格品	High-grade				
マーチ MARCH	1200	K13,NK13	HR12DE	10/7~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8		3.0	
	1200	AK12	CR12DE	02/3~10/6	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20	3.2		3.4	

								AK037(20L)			
	1400	BK12,BNK12	CR14DE	02/3~10/6	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.2	3.4	
	1500	YK12	HR15DE	05/8~10/6	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.1	3.3	
ムラーノ MURANO	2500	TZ51,TNZ51	QR25DE	08/9~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	4.3	4.6	
	2500	TZ50	QR25DE	04/9~08/8	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	3.7	3.9	
	3500	PNZ51	VQ35DE	08/9~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.3	4.6	
	3500	PZ50,PNZ50	VQ35DE	04/9~08/8	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	4.2	4.5	
モコ MOCO	660	MG33S	R06A(TURBO)	11/2~	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	2.7	2.9	
	660	MG33S	R06A(NA)	11/2~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W-20 AK037(20L)	2.7	2.9	
	660	CBA-MG22S	K6A(TURBO)	06/2~11/2	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	2.7	2.9	
	660	DBA-MG22S	K6A	06/2~11/2	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.7	2.9	
	660	TA-MG21S	K6A(TURBO)	02/4~06/1	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	2.7	2.9	
	660	UA,ABA-MG21S	K6A	02/4~06/1	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	R-Pro -5W-30 AK071(20L)	2.7	2.9	
車両 Vehicle Name	排気量 cc	車両型式 Vehicle Model	エンジン Engine	年式 Year	純正粘度 Normal Viscosity	HKS推奨エンジンオイル		交換時オイル量(L)		備考 Remarks	
						スタンダード	ハイグレード	オイル Oil	オイル+フィルター Oil+Filter		

						Standard	API規格品	High-grade			
ラフェスタ LAFESTA	2000	B30.NB30	MR20DE	04/12~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.6	3.8	
ラフェスタ ハイ ウェイスター LAFESTA HIGHWAYSTAR	2000	CWFFWN	PE-VPS	13/3~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	4.0	4.2	
	2000	CWEFWN	LF-VD	11/6~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.9	4.3	
	2000	CWEAWN	LF-VE	11/6~	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.9	4.3	
	2000	CWEFWN	LF-VDS	11/6~13/2	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	3.9	4.3	
ルークス ROOX	660	B45A,B48A	BR06DET-SM21	20/3~	0W-16	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	660	B44A,B47A	BR06DE-SM21	20/3~	0W-8	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.8	3.0	
	660	ML21S	K6A(TURBO)	09/12~ 13/3	5W-30	7.5W-35 AK105(4L)	5W-30 SP AK145(4L)	TURBO-R 5W-40 AK125(4L)	2.7	2.9	
	660	ML21S	K6A	09/12~ 13/3	0W-20	0W-25 AK108(4L)	0W-20 SP AK148(4L)	P-Pro 0W- 20 AK037(20L)	2.7	2.9	